
Table of Contents

Preface	xiii
1. Operators Teach Kubernetes New Tricks	1
How Kubernetes Works	1
Example: Stateless Web Server	3
Stateful Is Hard	4
Operators Are Software SREs	4
How Operators Work	5
Kubernetes CRs	6
How Operators Are Made	6
Example: The etcd Operator	6
The Case of the Missing Member	7
Who Are Operators For?	7
Operator Adoption	8
Let's Get Going!	8
2. Running Operators	9
Setting Up an Operator Lab	9
Cluster Version Requirements	9
Authorization Requirements	10
Standard Tools and Techniques	11
Suggested Cluster Configurations	11
Checking Your Cluster Version	12
Running a Simple Operator	13
A Common Starting Point	13
Fetching the etcd Operator Manifests	14
CRs: Custom API Endpoints	14
Who Am I: Defining an Operator Service Account	15

Deploying the etcd Operator	17
Declaring an etcd Cluster	18
Exercising etcd	19
Scaling the etcd Cluster	20
Failure and Automated Recovery	21
Upgrading etcd Clusters	22
Cleaning Up	24
Summary	25
3. Operators at the Kubernetes Interface.....	27
Standard Scaling: The ReplicaSet Resource	27
Custom Resources	28
CR or ConfigMap?	28
Custom Controllers	29
Operator Scopes	29
Namespace Scope	29
Cluster-Scoped Operators	30
Authorization	30
Service Accounts	30
Roles	31
RoleBindings	31
ClusterRoles and ClusterRoleBindings	31
Summary	32
4. The Operator Framework.....	33
Operator Framework Origins	33
Operator Maturity Model	34
Operator SDK	34
Installing the Operator SDK Tool	35
Operator Lifecycle Manager	35
Operator Metering	36
Summary	37
5. Sample Application: Visitors Site.....	39
Application Overview	39
Installation with Manifests	41
Deploying MySQL	41
Backend	43
Frontend	45
Deploying the Manifests	47
Accessing the Visitors Site	47
Cleaning Up	47

Summary	48
6. Adapter Operators.....	49
Helm Operator	51
Building the Operator	51
Fleshing Out the CRD	55
Reviewing Operator Permissions	55
Running the Helm Operator	55
Ansible Operator	56
Building the Operator	56
Fleshing Out the CRD	58
Reviewing Operator Permissions	58
Running the Ansible Operator	58
Testing an Operator	59
Summary	60
Resources	60
7. Operators in Go with the Operator SDK.....	61
Initializing the Operator	62
Operator Scope	62
Custom Resource Definitions	64
Defining the Go Types	65
The CRD Manifest	66
Operator Permissions	66
Controller	67
The Reconcile Function	69
Operator Writing Tips	70
Retrieving the Resource	70
Child Resource Creation	71
Child Resource Deletion	74
Child Resource Naming	75
Idempotency	75
Operator Impact	76
Running an Operator Locally	77
Visitors Site Example	78
Summary	79
Resources	79
8. Operator Lifecycle Manager.....	81
OLM Custom Resources	81
ClusterServiceVersion	82
CatalogSource	82

Subscription	83
InstallPlan	83
OperatorGroup	83
Installing OLM	84
Using OLM	86
Exploring the Operator	90
Deleting the Operator	91
OLM Bundle Metadata Files	92
Custom Resource Definitions	92
Cluster Service Version File	93
Package Manifest File	93
Writing a Cluster Service Version File	93
Generating a File Skeleton	93
Metadata	95
Owned CRDs	96
Required CRDs	99
Install Modes	100
Versioning and Updating	100
Writing a Package Manifest File	101
Running Locally	102
Prerequisites	102
Building the OLM Bundle	105
Installing the Operator Through OLM	107
Testing the Running Operator	109
Visitors Site Operator Example	109
Summary	109
Resources	109
9. Operator Philosophy.....	111
SRE for Every Application	111
Toil Not, Neither Spin	112
Automatable: Work Your Computer Would Like	112
Running in Place: Work of No Enduring Value	112
Growing Pains: Work That Expands with the System	113
Operators: Kubernetes Application Reliability Engineering	113
Managing Application State	114
Golden Signals Sent to Software	114
Seven Habits of Highly Successful Operators	116
Summary	117
10. Getting Involved.....	119
Feature Requests and Reporting Bugs	119

Contributing	120
Sharing Operators	121
Summary	121
A. Running an Operator as a Deployment Inside a Cluster.....	123
B. Custom Resource Validation.....	125
C. Role-Based Access Control (RBAC).....	127
Index.....	131

